

THE OPTICAL MAGIC LANTERN

JOURNAL

AND

PHOTOGRAPHIC ENLARGER.

A Magazine of Popular Science for the Lecture-room and the Domestic Circle.

Published on the 15th of each month.

Vol. 1.—No. 5. [Entered at Stationers' Hall.]

OCT. 15, 1889.

Price One Penny.



The Beacon (Chicago) says: "This modest yet ambitious Journal has been received, and we may say at once that we like it very much. Its ambitious title shows that it means to become a power in one of the most important branches of photography, the lantern and enlarging. Exception may be taken to our classing the lantern as a branch of photography, but it is one, and a very important one, nevertheless. The numbers received show both ability and power of selection, and we have no hesitation in predicting a great future for the *Magic Lantern Journal*."

"From the replies I have received to my queries from various firms, I should think the Journal is likely to be well supported by the trade as well as by amateurs to whom it should be most welcome. I wish it every success."


REV. W. MILN BARNES, Monkton Rectory, Dorchester.

PERKEN, SON & RAYMENT, 99, HATTON GARDEN, "OPTIMUS." LONDON.


Each Magic Lantern is efficient for exhibitions. The Lens gives crisp definition, being a superior Achromatic Photographic Combination (large diameter back lens), with rack and pinion. It is fitted to a telescopic lengthening tube, so gaining increased focal accommodation. The Condenser is composed of two plano-convex lenses of 4 inches diameter. The refulgent lamp has 3 wicks, (or 4 wicks 2s. extra,) yielding a brilliantly illuminated picture.—Each is complete in box.




Japanned Metal
30s.




Mahogany outside
Body, Japanned
Metal Stages and
Sliding Tubes, 42s.



Russian Iron Body,
Brass Sliding Tubes,
45s



Perforated Russian
Iron Body,
Brass Sliding Tubes,
50s.



Mahogany outside Body,
2 Panelled Door, Brass
Stages, Sliding Tubes,
82s.

'OPTIMUS' BI-UNIAL LANTERN.

For
Lime-Light.

Panelled Mahogany Body, and moulded foot, picked out with black, Japanned stages and tubes, Achromatic Photographic Front Lens, compound condensers... £5 12 0
Ditto ditto with brass stages and sliding tubes 8 8 0

'OPTIMUS' TRIPLE LANTERN.

The Top Lantern may be used separately with Oil Lamp.
Panelled Mahogany Body, Moulded foot picked out with black, Brass Stages and Tubes, Achromatic Front Lens, Compound Condensers ... £14 10 0

IMMENSE SUCCESS OF FRIESE GREENE'S PATENT OPAL CARDS.

IMPORTANT TO AMATEUR AND PROFESSIONAL PHOTOGRAPHERS.

Reasons why these Cards are bound to be universally adopted.

1.—They reduce the cost of the production of photographs. 2.—They effect a vast Economy of Time. 3.—Labour is reduced to a minimum, no toning or mounting being necessary. 4.—The process is independent of Sunlight, Printing being effected by Gaslight. 5.—If desired, negatives can be taken, and finished prints produced and delivered more quickly than by any other process. 6.—The whole process is by far the simplest yet invented. 7.—Photographs of the highest excellence and artistic value can be produced. (Mr. FRIESE GREENE has proved this by experience with his customers in the West end of London, who invariably prefer this process to all others.)

By the use of these cards high-class Photographs and Enlargements can at all times be printed from ordinary negatives by artificial light direct upon the Cards without mounting or using sensitized paper, toning, &c. Printing is effected by exposing the negative for six seconds at a distance of one foot from an ordinary gas-flame; and developing and washing is completed within a few minutes.

Mr. Frieese Greene desires to give notice to his very numerous correspondents that in order to better ensure the successful introduction and developing of the New Process, and to maintain the standard of the work, he manufactures suitable Cards of the finest quality and finish, and supplies them at the following prices:—

Carte-de-Visite Size	-	-	-	-	Per doz., 4s.
Cabinet Size	-	-	-	-	„ 6s.
Panel Size	-	-	-	-	„ 42s.

Mr. Frieese Greene will guarantee these Cards to be in every way qualified for the successful use of his New Process. If the negative is sent, Mr. Frieese Greene will print C.D.V. 1s., and CAB. 1s. 6d. per dozen extra.

Full printed instructions how to use and work the Process will be sent to each purchaser; or, by applying to Mr. Frieese Greene, practical demonstrations can be arranged, and it is found that greater success attends those who have seen it practically demonstrated, for which purpose a representative will shortly be sent to those who wish to use the cards. Mr. Frieese Greene will be happy to forward samples of the new pictures upon application; price One Shilling each. Remittances must accompany all orders.

Spoiled Cards.—If purchasers will return any spoiled Cards to Mr. Frieese Greene, he will be happy to send them a similar number of New Cards free of all charge, except for postage.

Address: FRIESE GREENE, 20, Brook Street, Hanover Square, London, W., or 92, Piccadilly, W.

GRAND EFFECT NOVELTIES.

The PRÉSTO Instantaneous SLIDE CARRIER.
AN INNOVATION.
60,000 Slides, plain. 1/-; coloured, 1/8. 300 Lecture Sets.
Patent GEM AUTOMATIC SELF-CENTREING CARRIER.
3s. A Marvel.

The PAMPHENGOS gives 12-ft. Picture,
E. J. MALDEN, Esq., Compares it to Limelight.
Price from £2 10s.


TRIPLEXICONS, 3½ Double Condensers, £1 15s. 6d.
DUPLIXICONS, 3½, £1 7s. 6d.

Hughes' New Long Focus Objectives used by Leading Exhibitors


HUGHES' Patent
Bijou Enlarging
LANTERN, with
Rectangular Conden-
sers, reduces Size of
Lantern. The only
perfect one giving
Marginal Definition.
Particu-
ars rec.

Biunial 4-inch Entire
Brass Fronts, £10 10s.
Cheapest and Best. Full
Elaborately Illustrated
Catalogue (300 pages), full
of Technical Information,
1s.; postage, 6d. Large
Pamphlets
4d.; postage
2d. Ordinary
List, free.

THE DOCWRA TRIPLE.
Highest Award, Photographic Exhibition, Crystal Palace.



TRIPLE LANTERNS from £12 12s.



W. C. HUGHES, BREWSTER HOUSE, MORTIMER RD., KINGSLAND, LONDON, N.

J. THEOBALD & COMPANY, Wholesale Manufacturers AND SOLE PROPRIETORS OF THE CELEBRATED LITHOGRAPHIC LANTERN SLIDES.

COLOURED LITHOGRAPHIC SLIDES, For Full Size Magic Lanterns.



THESE Slides are rapidly taking the place of cheap hand-coloured sets, because not only can they be produced at a lower price, but the details are infinitely superior and more exact, the colouring uniform and good. They are more than equal to a hand-painted Slide costing four times the price.

The first cost of producing these subjects is something enormous, as each set of 12 slides means an outlay of more than £50 for lithographic work alone, and it is only the immense demand that there is for them that enables them to be sold at the low prices at which they are offered. We need say nothing further in praise of them beyond the fact that many persons mistake them for best hand-painted Slides. Any person who has not yet tried them should at once do so. The result cannot fail to give the greatest satisfaction.



PRICE 6s. PER SET, POST FREE 6s. 6d.

The following subjects are all done on 3½ inch square glass, being the ordinary full size Slides. Each set consists of 12 Slides, and each set is in a box bearing title in colours. Each slide has also the subject printed on it.

- No. 1. Dogs and Monks of St. Bernard.
- " 2. Swiss Family Robinson.
- " 3. Reuben David, or Captured by Pirates.
- " 4. "Cash Three." A Temperance Story.
- " 5. Curfew must not Ring To-night.
- " 6. Natural Phenomena.
- " 7. Mottoes, assorted. Good Nights, Welcomes, Queens, &c.
- " 8. Bob the Fireman, or Life in the Red Brigade.
- " 9. Arctic Regions (Life in the).
- " 10. Canadian Life, Past and Present.
- " 11. Mischievous Tommy, or a Boy's Trouble.

- No. 13. The Tiger and the Tub.
- " 14. Blue Beard.
- " 15. The Life of Joseph.
- " 16. The Life of Christ. 2nd Series.
- " 17. Views of Palestine.
- " 18. The Heroes of the Victoria Cross.
- " 19. The Heroes of the Life Boat.
- " 20. Johnnie Gilpin.
- " 21. Dick Whittington.
- " 22. Old London and Our Ancestors.
- " 23. Robinson Crusoe. 2nd Series.
- " 24. The Elephant's Revenge.
- " 25. The Overland Route to India.
- " 26. Aladdin, or the Wonderful Lamp.
- " 27. The Emigrant's Voyage.

- No. 28. Sinbad the Sailor.
- " 29. Robinson Crusoe. 1st Series.
- " 30. The Pilgrim's Progress.
- " 31. The Life of Christ. 1st Series.
- " 32. The Arctic Expedition.
- " 33. Cinderella.
- " 34. Views of London (Modern).
- " 35. Continental Views.
- " 36. Jack the Giant Killer.
- " 37. Gulliver's Travels.
- " 38. Natural History.
- " 39. The Jackdaw of Rheims.

Complete Lecture Book, 1s.

FULL SIZE CHANGING COMIC SLIPPING SLIDES.

ENGLISH SUBJECTS IN ENGLISH FRAMES.

PRICE 10s. 6d. PER DOZEN, POST FREE, 11s. 6d. SINGLE SLIDE, 1s. 3d.

SPECIAL NOTE.—We wish it to be specially noted that the Lithographic Slipping Slides are not the ordinary German subjects in metal frames, which so many people find fault with because there is nothing genuinely comic about them; but these are English subjects, drawn by English artists, and mounted in the usual wooden frames.

For a long time the ordinary painted Slipping Slides have not given satisfaction, because the price was cut down so low that the artists could not stop to put much work in them; but by our process we get, at even a lower price, subjects equal to those painted in the good old days, and far superior to hand-coloured Slides at double the price. *SIX DOZEN VARIETIES.*


RACKWORK SLIDES, FULL SIZE.

We are pleased to be able to announce that not only have we produced a very large number of New Subjects in these Slides, but that, by this new method, we are able to offer them at extremely low prices. Rackwork Slides have always been very popular, but the price has been prohibitive; now they are within the reach of all, and we anticipate an enormous demand. The designs are all copyright. The Rackwork Frames we are also able to offer at a lower price than ever before, so that any persons wishing to paint their own designs can do so cheaply.

PRICE FOR RACKWORK SLIDES
COMPLETE, 5s. EACH.

SUBJECTS:

- 1 The Flirt.
- 2 A Camp in the Backwoods.
- 3 The Lighthouse.
- 4 Hair Brushing by Machinery.
- 5 The Children in the Woods.
- 6 The Dinner Party.
- 7 Mail Boat getting up Steam.
- 8 Performing Acrobat or Leopard.
- 9 Water Cascade.
- 10 The Magician's Cave.
- 11 Man with Changing Heads.
- 12 House on Fire.



- 13 Windmill at Work.
- 14 Watermill at Work.
- 15 Vesuvius in Eruption.
- 16 The Knife Grinder.
- 17 Man Swallowing Hats.
- 18 Fountain Playing.
- 19 The Beehive.
- 20 Aquarium.
- 21 Curtain Slide.
- 22 Artist at the Seat of War.
- 23 Chromotropes, single movement.

In ordering these say Rackwork No. 4, 7, and so on.

THE RACKWORK FRAMES, WITHOUT PICTURES, 2s. 6d. EACH.

Any of these Rackwork Slides can be had with the pictures hand-painted, best quality only, at 6s. each, post-free. Lanterns all prices, from 1s. to £80. Lenses, Lamps, Frames, G's Bottles, Jets, Dissolvers, and every kind of Apparatus, of best quality and at lowest prices. We are actual manufacturers; not dealers. Photographic Slides, 12s. per Dozen. Trade Catalogue on receipt of Business Card.

J. THEOBALD AND COMPANY,

ESTABLISHED 50 YEARS.

7a, BATH PLACE & 20, CHURCH STREET, KENSINGTON, LONDON, W.

W. CHAMBERS (For 18 Years with the firm of) J. H. Dallmeyer

New Photographic Lenses for Lantern Pictures,

Also specially constructed front Lenses, and Condensers, producing flatness of Field, purity of Image and perfect detail. Full Particulars and Catalogue on application to

W. CHAMBERS, OPTICIAN, 3, FEATHERSTONE BUILDINGS, HIGH HOLBORN, LONDON, W.C

JOSH. SOMALVICO & Co., 16, Charles Street, Hatton Garden, E.C., Opticians. Manufacturers of Barometers, Thermometers, and all kinds of Philosophical Instruments. Importers of Opera Glasses, Field Glasses, Telescopes. Established over 100 years. Late of 2, Hatton Garden.



NEWALWORTH RD.
LANTERN SLIDES ON HIRE
ELECTRICITY
SLIDE COLORING
PHOTOGRAPHY
BEST & CHEAPEST HOUSE IN LONDON



DALLMEYER'S LENSES

Are used by all the Leading Photographers, both Amateur and Professional, THROUGHOUT THE WORLD, and have obtained the Highest Awards wherever Exhibited.

DALLMEYER "On the Choice and Use of Photographic Lenses." Price 1s.
New Descriptive Catalogue of Photographic Lenses and DALLMEYER'S LENSES & CONDENSERS
SPECIALLY CONSTRUCTED FOR THE OPTICAL LANTERN, WILL BE POSTED
FREE ON APPLICATION.

J. H. DALLMEYER, Optician, 25, Newman St., London, W.

Telegraphic and Cable Address—"DALLMEYER, LONDON."

CHATHAM PEXTON,

Member of the Lecturers' Association,

— DISSOLVING VIEWS —

Lanterns, Slides, Photographic Apparatus, &c.

DISSOLVING VIEW ARTIST,

Manufacturer to the Trade, Clergy, Lecturers, and the Public,
Wholesale, Retail, and for Exportation.

Second-hand Apparatus, &c.

SPECIAL TERMS TO SHIPPERS.

CATALOGUES FREE. — ESTABLISHED 1870.

TELEGRAPHIC ADDRESS—"DISSOLVING," London.

Always 60,000 Slides in Stock, and 100 Instruments to Select from.

22, Gray's Inn Road, Holborn, London, W.C.

JONATHAN FALLOWFIELD,

"FACILE"

12 PLATES, $4\frac{1}{4} \times 3\frac{1}{4}$

Rapid Landscape Lens,

£3 3s.

Rapid Rectilinear Lens,

and 4 stops. F. S. 11, 16, 32,


£4 4s.

"TRAVELLER"

For SEPTEMBER & OCTOBER


8 Pages.

Post free on application.



DETECTIVE CAMERA.

35 and 36, Lower Marsh, Lambeth, London, S.E.



Magic Lantern, Dissolving View
AND
Photographic Apparatus
Makers.

The Best and Cheapest House for
High-Class Lanterns and Slides.
Lime Light and Mineral Oil adapted
as a speciality.

Patent Triple Back Lanterns and Patent
Adjustable Telegraphic Image Tubes.

Binoculars from 2in. Full Size Single
Lanterns, 4-in. Condensers,
from 30s.

We Lend Slides in any quantity at
1s. per dozen.

Catalogues Post Free.

W. H. HUMPHRIES & Co.

Show Rooms:

268, Upper Street,

Islington, N.

Omnibuses and Trams from all parts
pass the door.

Telegraphic Address:—

"FOCINETER," LONDON.

Factory:—

Elford Road, Drayton Park, N.

YORK'S OPTICAL LANTERN SLIDES.

New things for this season:—Paris Exhibition, South Africa (including
Diamond and Gold Mines, Isle of Wight, Ticket of Leave, Bunca
of Primroses and Magic Wand, by Sixes, Marvellous Cure, Harry's
Donkey Ride, Look at the Clock, Betsy and I are out, the Wreck of
the Hesperus, the Village Blacksmith, a large number of Double
Comics called the Catastrophe Series, these are quite new and original

YORK & SON,

87, LANCASTER ROAD, NOTTING HILL, LONDON, W.

NEWTON & Co., MANUFACTURERS OF OPTICAL LANTERNS & SLIDES,

Of the Best Quality only.

Detailed Catalogue, 3d. Scientific Instrument Makers to H.M. the
Queen, H.R.H. the Prince of Wales, and the Government.
Makers of Lanterns and Slides to the Science and Art Department, the
Admiralty, the War Department, the Indian Government, Oxford and
Cambridge Universities, the London School Board and the principal Societies.
3, FLEET STREET, LONDON.

RAMSDEN'S CARRIER FOR LANTERN SLIDES.

(REGISTERED)

This Carrier is at once simple and efficient.
The slides can be easily inserted in the dark;
they cannot fall out, and are always truly
centred; and whilst one is being exhibited
the following one is ready to follow.

PRICE 3s.

RAMSDEN'S PORTABLE LANTERN SCREEN.

(REGISTERED)

This Screen has been designed principally
for the exhibition of Lantern Slides in
private houses. The sheet is 7 feet square,
and is perfectly flat. When not in use the
whole folds up into a convenient parcel,
easily carried to any place where the ex-
hibition is to take place.

PRICE 25s.

RAMSDEN'S GELATINE PLATES.

FOR THE

Production of Lantern Slides and
Transparencies.

These Plates have now been before the
public some years, and are universally ad-
mitted to be unequalled. Good Dense Slides
may be produced from thin negatives. If
detail is there the Slide is certain to be good.

PRICE . . . 1s. per Dozen.

MANUFACTURED BY J. W. RAMSDEN, HEADINGLEY, LEEDS.

AGENTS:

MAWSON & SWAN, Newcastle, and Soho Square, London.

FALLOWFIELD & Co., London.

HOLMES, SADLER, & HOLMES, Southall Street, Manchester.

THE OPTICAL MAGIC LANTERN JOURNAL AND PHOTOGRAPHIC ENLARGER.

Vol. 1.—No. 5. [Entered at Stationers' Hall.]

OCT. 15, 1889.

Price One Penny.

CONTENTS.

PAGE.	PAGE.
Notes	33
The Magic Lantern: Its Construction, Illumination, Optics, and Uses (chap. 5)	34
To Ascertain the Candle-Power of a Light	36
Two Hints to Workers with the Lantern	37
Lanterns & Accessories.—III.	37
A New Limelight	37
Wanted, a Dark Room	38
How I make Lantern Transparencies	38
Renovating Battered Lanterns	39
Editorial Table	39
Applications for Patents, 1889	39
Correspondence	39
Camera-Club Notices	39
Selections	40
Notes and Queries	40

CONTENTS OF No. 4.

Notes.—The Magic Lantern: Its Construction, Illumination, Optics, and Uses—Gelatin Lantern Slides—Lanterns and Accessories—Flashes on Lantern Topics—Novel Use for the Lantern—Editorial Table—Lantern Slide Competition—Applications for Patents—Interesting Experiment—Lantern Flange Screws—Lantern Diagrams—Selections—Notes and Queries.

Notices.

THE *Optical Magic Lantern Journal and Photographic Enlarger* is issued on the 15th of every month, price One Penny, and may be obtained from all Newsvendors, Railway News Stalls, Photographic Dealers, or from the Publishers, at the following rates, post free:—

	Continental.	United States.
12 months ...	1/6 ... 2/	... 60 cents.
6 " " ...	... 1/	... 30 "
Single copies ...	1/1 1/2 ... 1/2	... 6 "

Advertisements (Scale of Charges), displayed:—

	£	s.	d.
Front page ...	...	4	0 0
" " " " (eighth) ...	...	15	0
Back " " or facing matter (whole) ...	3	10	0
" " " " (half) ...	2	0	0
" " " " (quarter) ...	1	2	6
" " " " (eighth) ...	11	3	0
Ordinary page ... (whole) ...	3	0	0
" " " " (half) ...	1	15	0
" " " " (quarter) ...	1	0	0
" " " " (eighth) ...	10	0	0
" " " per 1 inch in column ...	6	0	0

Special quotations for a series.

Exchange Column, General Wants and Sales, &c.—20 words, 6d.; and for every 3 additional words, 1d.

Advertisements must reach the office not later than the 12th of each month. All cheques and postal orders to be made payable to Taylor Brothers.

Editorial communications must be addressed, The Editor; advertisements and business communications to Taylor Brothers, care of the Publishers, Dorset Works, Salisbury Square, Fleet Street, London, E.C.

Notes.

WE observe that the widow of the late Richard A. Proctor, the astronomer, is following in the footsteps of her husband, as we find she is lecturing in Florida, U.S.A., on astronomical subjects. The lectures are illustrated by views of the heavenly bodies, thrown upon the screen by the aid of the optical lantern.

THE copyright of the *Camera* has recently been purchased by Mr. Jas. Blackmore, and will henceforth be published at 55 and 56, Chancery Lane, W.C.

EVEN in the far north, in the Orkney Islands, the use of the optical lantern as an educational appliance is beginning to be recognised. Already one church sees how to turn it to good account, and has purchased a lantern and a large supply of slides. For two or three winters these have been sent round to all the congregations in the district, and have served to interest and instruct the children and not a few of their seniors at the yearly soirées and social gatherings. By exchanging the old slides for new ones every year, the interest in the exhibitions is fully maintained, and the lantern is found to be the most attractive feature of these meetings.

THE Chicago Camera Club, following the example of Boston, intend circulating among the photographic societies of Great Britain a set of one hundred lantern slides illustrative of Chicago.

IN connection with the West London Mission, "Lantern Lectures for the People" are to be given during the winter at Wardour Hall on Tuesdays, and at Cleveland Hall on Thursdays. The subjects are the popular ones of the day. The lantern is also used on Sundays at Cleveland Hall, and will be brought into requisition to illustrate sermons and lectures.

THE lamp recently experimented with in France to be used in the battle-field to search for the

killed and wounded is about the size of the headlights used on American locomotives. It is furnished with a powerful reflector, and the light is produced by the combustion of two magnesium wires.

THE photographic societies throughout the country have now commenced their *lantern evenings*. These are looked forward to with great interest by the members, who have thus an opportunity of exhibiting their work and receiving friendly criticism upon their transparencies.

The Magic Lantern : Its Construction, Illumination, Optics & Uses.

CHAPTER V.—DISSOLVERS.

THE production of dissolving views, when these are produced in the most effective way, necessitates the employment of two lanterns, each complete in itself, although it is possible to have the dissolving system embodied in one case, and even worked with one light.

The term *dissolving* is adopted from the appearance the pictures present on the screen. Thus the spectator, while examining the subject on the screen, becomes aware that it is getting slightly confused by the gradual appearing of another and different subject on the same disc, which slowly acquires strength and force, while at the same time the previous picture becomes weaker, until at last it disappears entirely—in short, the one view is dissolved into another. This effect is produced in a variety of ways, which we shall presently explain.

With oil lanterns it is imperative that both lamps be kept burning during the whole of the entertainment. The dissolving effect is produced by means of fans having serrated edges placed in front of the objective. When they were first used for the purpose they were moved to and fro by a rack and pinion, but nowadays this has been greatly simplified, and both fans are attached to one end of a lever, each pointing in an opposite direction, as seen in Fig. 17. When it is desired that the light from both lanterns shall be projected upon the screen simultaneously, the fans are provided with hinges close to the rod upon which they are fastened, that covering the lens

for the time being swung towards the screen, thus exposing both lights.

As we have said, in the case of oil it is found necessary to keep both lights burning throughout




FIG. 17.

the entertainment. Quite different, however, is it when the lime-light is used, for with this, the dissolving effect is produced by lowering the light in the one lantern at the time it is being turned on in the other; but as it is inconvenient to have a series of taps to turn on and off as occasion demands, special combination taps have been devised to meet this requirement.

When the oxy-calcium or spirit jet is used, the spirit is allowed to burn, and the supply of oxygen only is turned off or lessened. Such a dissolving




FIG. 18.

tap to answer the purpose must have a double branch at the top, so that the oxygen may be diverted from one lantern to the other. A convenient tap of this nature is shown in Fig. 18. By

turning the handle to whichever branch the light is required, the oxygen is supplied to the one, and cut off from the other, and to both lanterns when the lever is placed mid-way.

When the oxy-hydrogen light is used, the dissolving tap is of a more complicated order, for not only has the oxygen to be diverged, but the supply of house-gas or hydrogen must also be under control. In the form shown at Fig. 19, which is the invention of Mr. Wood, there are two separate taps, the levers of which are connected by a rod, so that both move in unison.




FIG. 19.

The oxygen supply is admitted at A, and the hydrogen at B. The tubes D and E leading to the lanterns in the tap cross each other so that in the case of two lanterns standing side by side, both sets of oxygen and hydrogen tubes will be immediately behind each lantern. The oxygen is conveyed at C and E, and the hydrogen at D and F, the alternation being effected by the movement of the lever G. As it is essential that a small flame be allowed to burn during the time the light is suppressed, a small jet of hydrogen is kept burning, so as to avoid re-lighting. This supply is regulated by means of a by-pass, as is shown in the cut.




FIG. 20.

In the bi-unial lantern, a form which is now almost universally employed, one lantern is placed above the other, the dissolving tap may be of the form shown at Fig. 20. This class of

tap is supplied with by-passes for both hydrogen and oxygen, by which a small supply of both gases is allowed to reach the limes to keep them hot.

A dissolving tap for use with three lanterns is a much more complicated affair than the foregoing, although the general principle is the same. Not only must it be capable of directing the gases to any one lantern, but also to two and even to three at once when desirable. There are in this case six supply tubes to be under control, and if each had a separate tap to be turned on and off, the difficulty can be better understood than expressed; but the ingenuity of lantern-makers and exhibitors has happily overcome all difficulties in this direction, as illustrated in the cut Fig. 21. All that it is necessary for the operator to do is




FIG. 21.

to manipulate the handles; the by-passes are adjusted by means of the small thumb-screws shown.

Another conjunction of taps to achieve the same result is by first setting a lever (Fig. 22),




FIG. 22.

and then turning a tap. Its mode of working will be understood by the following:—The supplies of hydrogen and oxygen are attached to HB and OB respectively. Then O₂ is connected

with O₂, and H₂ with H₂. The other outlets are each connected to the jets thus—H₁ and O₁ to top jet ; H₃ and O₃ to middle jet ; and H₄ and O₄ to the bottom jet. The straight handle is termed the coupler, and the bent one the dissolver. According to the angle at which the coupler is set, so are the different lanterns coupled. With this dissolver the bye-passes are each arranged from a small cock in the service pipe and are not included in the tap itself.

Another style of tap which needs little explanation is one which is furnished with a dial. In this case the index handle is merely moved to the required combination.

Complex as many of these dissolvers may appear, yet when fitted on the lantern it is surprising with what ease and certainty they are manipulated. Of course the dissolving tap may be placed almost anywhere, but for convenience sake it is generally attached to the lantern itself at the back, that position being found to be preferable, as it is out of the way of being accidentally moved.

When one's resources will not permit of two or more lanterns, and it is not the intention to exhibit effects, it is quite possible to produce upon the screen a dissolving picture. This may be done by procuring a strip of clear glass, and converting a portion of it into ground glass. The junction between the clear portion and the ground part must be gradually vignetted; the ground glass portion may then be stained with transparent oil colour of a neutral tint, the colours being laid on thinner and thinner as they approach the clear end of the glass. This strip is made to slide in suitable grooves close in front of the objective. When in use the rays of light pass through the clear portion, and by slowly sliding the glass upwards a mistiness will appear in the foreground of the picture, which will by degrees envelope the whole view; when the slide can be changed, and gradually brought to view by reversing the action.

The neutral tint is of assistance in relieving the eyes; by having a clear portion of glass in front of the objective there will be no sharp line of demarkation; and by commencing the dissolving at the bottom of the picture a better effect will be produced than if it were begun at the top, for in the majority of cases the foreground is the darkest part of the picture.

To Ascertain the Candle Power of a Light.

MANY are in the habit of speaking of a light as being of so many candle-power, but if asked how they ascertained it, the answer will in many cases be that it was a rough guess. If an object intervene between a white screen and a light, no matter of what intensity, a shadow must necessarily be cast upon the screen. If the light employed be a strong one, the shadow cast will be more intense than if the light had been of less brilliancy. As light loses a great deal of its force the farther it is removed, so the farther the light is from the object spoken of, the less dense will be the shadow cast, such loss being the square of the distance. As is well known, a candle-power is the light of a standard candle.

Let it now be supposed that it is desirable that the candle-power of a given light is to be ascertained. How must we proceed? In order to do so it is requisite that we ascertain the strength of one candle-power, which is best done by placing a rod a little distance in front of a white screen and allowing the shadow of the rod from a candle placed a little distance beyond to fall upon the screen; this shadow then represents one candle-power. We next consider the light to be tested. If it be more intense than the one candle, the shadow of the rod cast from it will be deeper, both lights being placed at the same distance. Now move the light that is being tested to such a distance from the rod that the shadows assimilate in density, which may easily be ascertained when they are side by side. The intensity of the two lights will be directly proportional to the squares of the distance from the shadows. Thus, suppose the light to be tested is three times the distance of the candle, its illuminating power will be nine times as great, and the ascertained candle-power of the light will be nine candle-power.

It is impossible to give with definite accuracy the relative intensities of the various lights employed in the lantern, as so much depends on the forms of burner and the skill of the operator. For example, the Solar Fountain Lamp equals from twenty to forty candles, according to the diameter of the flame, the purity of the oil, and the perfect adaptation of the chimney.

Lamps of the Sciopticon class, according to the number and length of their wicks, will vary from thirty to seventy-five candle-power, sometimes even exceeding this figure.

The Spirit or Oxy-calcium light is by very many considered to range much lower than the ordinary blow-through or safety gas jet, but this arises from the imperfection of construction and not from any inherent defect in the principle of illumination, not but that it is slightly inferior to the other, but not to the extent

usually stated. A good lamp of this kind can be made to produce an illuminating power equal to one hundred and eighty candles, a Safety or Blow-through jet exceeding this by from ten to fifteen candle-power more.

With mixed gases in one of the best burners it is possible to obtain a light exceeding four hundred candle-power.

Two Hints to Workers with the Lantern.

THERE are two qualities of chlorate of potash at present in the market—a cheap German make, which can be sold at about fourpence per pound; and English made chlorate, which costs from sevenpence to ninepence. My advice is to eschew the former. Once or twice I have found it of fair quality; but, as a rule, it is cheap and unreliable.

Most workers with oxygen gas are troubled, more or less, by the tendency of the gas to come off in rushes, passing through the purifying bottles so rapidly that it does not get properly washed. I find that the addition of a little dry common salt steadies the flow of gas wonderfully. My present formula is—Chlorate of potash, 1lb.; black oxide of manganese, 4oz.; common salt, 2oz.

W. JEROME HARRISON, F.G.S.

Lanterns and Accessories. —III.

(Continued from page 29.)

THERE was another very ingenious slide changer, patented I believe by Mr. Alexander Cowan as to the curtain effect, and Mr. Matthew Whiting as to the slide-changing apparatus, both well-known names in the photographic world. The slides are arranged in a box, delivering them one at a time to the carrier and passing them through the lantern, quite automatically, by the reciprocating movement backwards and forwards of a handle, the slides being delivered into another box in their proper order. The effect of changing arrangement was that of a curtain falling over the picture and rapidly rising again on a fresh one. The apparatus was, I believe, brought out by Messrs. Houghton and Co., of High Holborn, London.

Within the last few years what is known as the *Lightning Carrier* has had a great run. It is as old as the lantern, but has only lately been generally adopted, and therefore better constructed now than the earlier models. It may be briefly described as a skeleton holder with a stout rail of about five or six inches long at the top, and a similar rail of about twice that length

at the bottom. This is simply adjusted in the lantern and fixed there by the spring usually attached to the stage. The carrier, which slides in suitable grooves in the holder, is double—that is, there are two slits in the top rails, in which two different $3\frac{1}{4}$ in. slides drop into place in grooves made for that purpose. It is slid backwards and forwards across the field, registering more or less accurately according to the positions of slots at either end of its journey across the field. Usually, however, it is not at all accurately *fitted*, and the consequence is that when the one slide out of the two which it carries is being changed, the remaining one, then being shown on the screen, is very liable to “jig.” The operator of course does not see this dancing of the picture, as he is too busy changing his views, but the spectators do, and they don’t like it.

I would recommend any reader who has one of these carriers, and I know of nothing better if carefully fitted, to take a little trouble with it by packing it so that it will work sweetly without any appreciable play in the holder.

A simple way of using it is to cover the lens for a second while the carrier is being pushed across and uncapping as soon as that is done; but the best plan is to arrange a flap shutter, working noiselessly if possible, just behind the objective (front lens). It must hinge at the bottom and be square, then the effect will be that of a curtain falling on the picture and rising again in one second on a fresh one. The spectators will not *rise*, as was a printer’s error in the last word of article No. 1 for *tire*.

GEORGE SMITH.

A NEW LIMELIGHT.—In a letter from Mr. A. W. Scott, of Weston-super-Mare, he says:—“I am now busy with a new limelight, which I hope to put on the market shortly. It consists of an apparatus charged with two different inflammable liquids (not ether), through which oxygen, from a gas-bag under moderate pressure (three 56lb. weights), is passed. This apparatus may be used as an accessory to the oxygen light to increase its brilliance. Used thus it improves the light from four hundred and fifty to seven hundred and twenty standard candles—the former (four hundred and fifty) being obtainable with ether alone. The apparatus makes a corresponding increase with the oxy-hydrogen light (high-pressure mixed jet). In this case the coal-gas from a small bag is passed through the apparatus. The consumption of oxygen is increased and that of coal-gas decreased. But the best light of all is obtained by using the apparatus without ether and without coal-gas. I have not yet taken its candle-power, though I have used it for six public exhibitions. The working cost of the apparatus is one penny per hour. It is absolutely safe; cannot be blown up, and gives less trouble than filling a bag with coal-gas in the ordinary way. I have the papers for provisional protection now in my hands. When arrangements for patenting, &c., are complete I shall be at liberty to give more details.”

Wanted, a Dark Room.

MANY a student of photography has sighed for the possession of a dark-room—so easy to dispense with at first, so perfectly indispensable afterwards. Several expedients are resorted to in order to devise what is but a sorry substitute. I once made a temporary one which answered my purpose admirably, and had all the charm of originality. It was constructed with a couple of screens, made of rough light framework, covered with two thicknesses of brown paper, sized and painted to match the wall. They were placed at right angles to each other and stood in a corner of the room, thus forming a square. Of course, they had a few nails to hold them in place, and their junction with wall, floor and ceiling was made light-tight with slips of brown paper. With a table, a few movable shelves, and water brought in through an india-rubber tube, I developed hundreds of negatives, lantern transparencies and bromide enlargements with all the comfort of having a special shrine for my photographic deity.

In constructing the dark room in this simple manner, that fold of the screen which forms the door should shut into a framework formed of slips of wood in such a manner as to trap the light.

I always object to being closeted with a malodorous lamp. This is easily avoided by placing the lamp on a shelf outside a sheet of ruby glass let in the framework.

It is a great convenience to be able to leave the room in case of protracted development, &c., and double doors may be used for this purpose; but by having a small box to fit over developing trays, one can go in and out at pleasure.

I have been induced to jot down these few lines because I know so many amateurs who regard a dark room as being as unattainable as a good studio, instead of which a "handy" man will find it within the scope of a few hours' work.

CHAS. A. PALMER.

How I Make Lantern Transparencies.

I WISH to describe *pro bono publico* how I made at a small cost a transparency camera by which I can make lantern slides from half-plate negatives without any kind of adjustment or focusing being required.

I had constructed for me by our village carpenter a common deal box without ends, of the following external dimensions: 6in. high, 8in. deep, and 20in. long. At one end I fixed two grooved strips of wood capable of allowing a negative 4½in. by 6½in. to slide in; then

at ten inches from this end I inserted a piece of wood in such a manner as to divide the box into two divisions. The lens of 4½in. focus was cemented into one end (convex surface out) of a piece of tube one inch long, a stop of one-eighth of an inch being placed in the other end. This I inserted in a hole in the centre of the division, which was then fixed, after having made the distance between the convex surface of the lens and the negative equal to 10½in., the lens end of the mount being nearest to the negative. I proceeded to fit another division about two inches from the other end; this division has an aperture in the centre, three inches square. I then attached a small strip of grooved wood at the lower portion of this opening, and at the upper side I also attached a grooved strip of wood, but the groove in this case was twice as deep as that at the lower portion of the aperture. The measurement must be such that the distance of a sensitive plate inserted in these grooves will measure eight and one-tenth inches from the convex side of the lens.

When this was completed I made a door to close this end of the box, and in order to ensure it fitting so as to exclude all light, I tacked a piece of cloth edge around it. Having finished all the woodwork I gave the whole thing a coating of black varnish, both inside and out. When I wish to make a lantern transparency I slide my negative in at the one end, and, in the dark room, insert the sensitive plate at the other under the upper groove, and then set it upon the lower one, shut the door and go out into the ordinary light and expose.

I use a small stop in the lens for the two-fold purpose of ensuring sharpness and allowing me sufficient time to make an exposure.

The achromatic lens, which I obtained unmounted, cost four shillings; I paid the carpenter one shilling for supplying the wood and making the box. Estimating the other sundries at twopence, the whole outfit has cost me five shillings and twopence.

ANDREW C. COLE.

THE following are the judges' awards in the Newcastle-on-Tyne and Northern Counties Photographic Association Lantern Slide Competition: Section A.—Open to all professionals and amateurs in the world. One silver and one bronze medal, presented by the president, A. S. Stevenson, Esq., J.P., Tynemouth, for not less than twenty-four slides. Silver medal, John W. Wade, 14, Ridgely, Manchester; bronze medal, Cyril Frith, Brightlands, Reigate. Section B.—Open to amateur members only of the Newcastle-on-Tyne and Northern Counties Photographic Association. One silver and one bronze medal, presented by J. P. Gibson, Esq., Hexham, vice-president, for the best six slides. Each competitor may not send more than twelve slides. Silver medal, Edgar G. Lee, 11, Beverley-terrace, Cullercoats; bronze medal, Henry R. Procter, 38, Percy-park, Tynemouth. The judges were Messrs. John G. Allison, P. M. Laws, and C. J. Spence.

Renovating Battered Lanterns.

WITH even the greatest care in the treatment of a japanned tin lantern, the black outside coating will sometimes chip off, causing unseemly white patches to appear.

The remedy most usually recommended in such a case is the application of Brunswick black. From personal experience in attempting the renovation of a battered lantern, I would very strongly dissuade anyone from making the attempt with this material, as the smell is for a long time after very offensive.

A much better method, and one with which I have been very successful, is to give it a coating of a mixture of lampblack and lacquer, or ordinary photographic varnish, and when dry to give it both solidity and gloss by a coat of mastic or copal varnish. This dries hard, is very tough, and unlike Brunswick black does not give off any smell.

RICHARD TATE.

Editorial Table.

The Practical Index of Photographic Exposure.—A fourth edition of this useful set of exposure tables has been issued. Great care has evidently been bestowed upon this work by Mr. A. R. Wormald to make it a companion to outdoor photographic workers, so that one may ascertain at a glance the necessary exposure under given conditions. The book is very neat, and in addition to the tables, contains much useful information.

WE have received the catalogue of Messrs. Theobald and Co., of Kensington, and also a sample case of coloured lantern slides of all sizes and styles. This firm makes a speciality of lithographic slides, which they both design and manufacture. Those who themselves desire to effect the transference to glass may obtain the lithographic transfers in sheets.

MESSRS. W. HOOPER AND CO., High Holborn, have sent us a number of gold-stamped and silver-printed mounts with Christmas mottoes. These are for mounting photographs upon and present a neat appearance.

MR. C. FERRERO, writing from the Camera Club, says:—"I notice in your last issue the description of a lantern-slide carrier, introduced by Mr. Ramsden. Will you allow me to state that last winter I made a carrier, having all the points enumerated in your description—viz., the arrangements for introducing the slide, for centreing and withdrawing the slide, besides some other novel features? It was used at the Camera Club, and Mr. F. W. Stanley, of London Bridge, showed it at the Crystal Palace Photographic Exhibition."

Applications for Patents, 1889.

No. 13676.—August 30, W. J. Lancaster, "Photographic camera shutter."

No. 13699.—August 30, W. H. Kerry, "Improvements in photographic cameras."

No. 13712.—August 30, R. D. Bowman, "Improved process for the production of oxygen gas."

No. 13892.—Sept. 3, R. W. Thomas, "Photographic dark slide."

Correspondence.

LANTERN FLANGE SCREWS.

[To the Editor.]

SIR,—We notice in your issue for 15th inst. a letter from Mr. G. B. Courtenay, advising the use of standard screws for lantern objectives.

We should like to call attention to the series of standard screws for photo lenses, recommended by the Photographic Society of Great Britain. These screws are steadily becoming better known and appreciated. We ourselves fit all our photographic lenses and lantern objectives with screws of this series, and we think the time will come when all our English makers of lenses will adopt the system. But in our opinion, such a desirable change can only come about in the first place through public demand. There is no advantage to any lens maker, but rather a great disadvantage and loss entailed in changing the size of his screw fittings; but if the public would insist upon having standard screws any optician would be ready to supply them.—Yours faithfully,

TAYLOR, TAYLOR AND HOBSON.

Leicester, Sept. 16, 1889.

SOCIETY LANTERN NIGHTS.

[To the Editor.]

SIR,—Photographic societies, both amateur and professional, are now on the eve of commencing their lantern nights. On some of these evenings only a few slides are brought by the members, too many trusting to their fellow members to supply a sufficient number. This is not as it should be. I think that when a lantern night is on hand it should be made a rule that each member on entering hand in at least three lantern transparencies. There are few of us who have not during the year made several slides, and if these few would also join the ranks I feel assured that it would add to the greater success of a pleasant evening's entertainment.—Yours, &c.,

SEDILS.

Newcastle.

Camera-Club Notices.

Thursday, Oct. 17th, 8 p.m.—Description and demonstration, by Mr. Lionel Clark, of his platinum toning process.

Thursday, Oct. 24th, 8 p.m.—Lantern evening. Members are requested to inform the secretaries if they can bring slides.

Thursday, Oct. 31st, 8 p.m.—Discussion on "Eikonogen," to be opened by Mr. H. M. Ekler, M.A.

Monday, Nov. 4th, 8.30 p.m.—Smoking concert. Offers of assistance requested.

Thursday, Nov. 7th, 8 p.m.—Mr. Andrew Pringle will read a paper, entitled, "One Hundred and Thirty Exposures." Paper will be illustrated by examples.

Selections.

LANTERN-SLIDE making is growing to be one of the most fascinating branches of photography, being easier and more satisfactory to do than silver printing.—*F. C. Beach.*

To any person having a knowledge of the development of dry plates, success in making transparencies is guaranteed if he would only obtain a dozen dry plates, quarter size, of any standard make and patiently experiment with them upon one subject.—*Edward Viles.*

IT is found in practice, when enlarging considerably the subject copied, that it is much more effective to focus by moving the said object to and from the lens, than to focus in the ordinary way by altering the back of the camera.—*R. H. Preston.*

IN copying engravings, woodcuts, &c., the lines given by the engraver are very often, when magnified to a large size, too conspicuous on the sheet, and I have seen some things exhibited which, when on the screen, looked like one of the flaming posters on the walls and hoardings that are now so frequently seen announcing the various performances of the day.—*T. Gulliver.*

SOFT varieties of lime may be used with advantage for the oxy-calcium lamp; but only hard lime should be employed for the oxy-hydrogen jet. This lime is formed into the shapes required, usually into cylinders, and these are put into bottles and sealed up so as to preserve them from the action of the atmosphere.—*A. A. Wood.*

WITH ordinary care and attention the limelight is easily managed, and by its means the lantern becomes in the hands of an intelligent photographer a means of profit and entertainment unthought of a few years ago.—*William Hanson.*

IT may not be generally known that a thoroughly gas-tight connection can be immediately made between an india-rubber tube and metal pipe. Having pushed on the india-rubber tube to a sufficient distance, it is only necessary to roll back the front part of it.—*Edward Viles.*

THE brain needs no training to see erect with an inverted image, because it is a physical fact that an image projected through a convex lens is inverted—the reason for placing slides in a magic lantern upside down.—*Author of "The Philosophy of Sight."*

THE lantern season is at hand, and we may make the "winter of our discontent" a "glorious summer" by making slides.—*Geo. Wheeler.*

THE *sine qua non* of a lantern slide is that it shall be absolutely clear in the high lights.—*W. Bishop.*

DAGUERRE had made his reputation as a painter of panoramas, and was well-known in connection with his efforts to improve dioramic effects long before he announced his discovery of the Daguerreotypic process.—*C. E. Pearce.*

BRASS LACQUER.—A beautiful gilding may be given to brass and bronze by a lacquer composed as follows:—Rectified spirit, three hundred and thirty-two parts; shellac, sixteen parts; dragon's blood, four parts; turmeric root, one part. The metal intended to be lacquered is warmed, and the varnish applied by means of a brush or sponge. The solution should be kept in a stoppered bottle.

Notes and Queries.

B.—The slides have been returned to the owner. We feared they were rather too coarse.

Garrett, J.—We replied to your query in our last issue.

Chromotrope asks if it would be safe to use house gas in conjunction with compressed oxygen, when a mixed jet is used. *Answer.*—No; better employ a blow-through jet.

W. C. Cook writes to say that he has tried the use of ground glass, as recommended by Mr. Alfred Watkins, in the September number of this journal, and is well pleased with the results; "but," he adds, "it must be very finely ground, otherwise the sketch has a rough appearance when exhibited on a screen."

Opal.—If you return the spoiled cards to Mr. Friese Greene, he will send you good ones in exchange, without extra charge.

Zoopraxiscope asks how Mr. Muybridge changes his pictures (of animals in motion) upon the screen. Are they one basis with moveable parts, or are they a series of pictures? *Reply.*—The figures are placed in consecutive order near the rim of a circular plate of glass; another plate of glass is placed parallel to the first. This second disc is opaque all but a number of clear lines, radiating from the centre. When the two discs are rotated rapidly in opposite directions, the apparent size of the figures becomes diminished, and instead of seeing a procession of animals in different attitudes, the idea is conveyed that the same image is assuming various positions.

H. Laey asks, "What is a polytropochromaticon?" *Answer.*—It is similar to a kaleidoscope, and it is used with coloured substances, such as broken glass.

Th. Farrant.—There is no necessity to have two sets of pressure boards. Why not make one suffice, by placing the gas-bags one over the other? One set of weights will then do. But if gas is laid on at the hall, why not use it instead of hydrogen?

N. B.—No. 4 on your list will answer your purpose better than No. 2; but as you say you intend being in London in a few weeks, postpone purchasing until then, when you can call upon the firm and inspect the various styles. We shall be glad to see you. Thanks for your good wishes.

Smell of Oil.—See our issue of June 15th, pages 3 and 4.

Trade.—Write to Messrs. York and Son. They have lately produced the Paris set about which you enquire.

Sobu writes:—"I have a very old quarter-plate photographic portrait lens, mounted in wood, which I am desirous of converting into a lens for a magic lantern, so as to shew a disc four or five feet in diameter. Can this be done, and how? The lens is the usual double combination."

Reply.—The lens described is the same as those now universally employed with but few exceptions. It will require no alteration, unless a brass tube be substituted for the wooden one.

We have received the catalogue of Mr. Underhill, Croydon, which contains particulars of a variety of slides.

B. W.—We cannot offer an opinion on the data mentioned.


Miss H.—The slide sent is very creditable, but the foliage is rather darkly coloured; a little picking out would be advantageous.

A. W. S.—Thanks for particulars.

W. S.—(1) We will send copies to the persons mentioned. Thanks for the interest you take on behalf of this journal. (2) There is no difference in the illumination between the two classes of lenses, the difference, if such exists, being in their defining properties.

A Subscriber (Greystones).—There is no place here where the *Scientific American* can be purchased, but special numbers may be ordered through Trubner and Co., Ludgate Hill, London. The number inquired about is that for the week ending May 11, 1889.

Bull's-Eye.—The "Flashes" came too late for this issue.



Price 21s.

THE "PERFECTION"

(HAES' PATENT)

Is the best Lamp for Photographic Dark Rooms,

The best Lamp for Readings of Lantern Entertainments.

COMPREHENSIVE AND ORNAMENTAL.

To be obtained of all Photo-dealers, or wholesale of

MARION and Co., Soho Square, W.; or of the Sole Manufacturers,

BENHAM & FROUD, Ltd., Chandos Street, London, W.C.

SUTER'S APLANATIC LENSES

ARE THE BEST FOR ENLARGING.

G. R. GOTZ, Sole Agent,
19, Buckingham Street, Strand,
LONDON, W.C.

WOOD'S LANTERNS AND SLIDES ON SALE OR HIRE.

NEW SETS OF SLIDES with printed Lectures. Paris Exhibition—French Revolution—French History—Norman Conquest—Innocents Abroad—Civil War—American History—Holy Land—History of the Prayer Book—Crimea to the Caucasus—Rochester—Chester—Derbyshire Tales from Life, Models, &c., and 80,000 other Slides already in Stock.

The "EUPHANERON" LANTERN with the four-wick W Lamp, £4 4s.

The "CHEAP" LANTERN with 4-in. Condenser and three-wick Lamp, £1 13s.


Wood's New List of Slides and Lanterns.

Post-free for One Stamp.

E. G. WOOD, 74, CHEAPSIDE, LONDON,
and HORNE, THORNTHWAITHE & WOOD, 416, STRAND, LONDON.

MAGIC LANTERNS AND SLIDES.

WALTER TYLER



Has the Largest and Best Stock in the World, and making this business his entire occupation, is in the position to supply the Trade, Shippers, and Exhibitors at such Moderate Prices, that none of the so-called Manufacturers, or Stores are able to compete. The large stock of upwards of 100,000 Slides, and many hundreds of Lanterns, from 30s. to £200, enables Walter Tyler to dispatch orders immediately on receipt.

Most of the Comic Sets of Slides have been reproduced at great expense.


Great Reductions have been made in the Hire of Slides, which can now be had on hire at 1s. per dozen, no extra charge being made for Chromotopes or Effects.

All requiring the very Best Value should not fail to send for the largest and most complete Catalogue, which will be sent post-free to all applicants.

Great Bargains in Second-hand Lanterns and Slides.

MOTTO—"BEST QUALITY, LOWEST PRICES, PROMPT DISPATCH."

WALTER TYLER, 48, WATERLOO RD., LONDON, S.E.



Awarded the Certificate at Crystal Palace Exhibition for Optical Lanterns, also for Enlarging Apparatus.

D. Noakes & Son,

Inventors, Patentees & Makers of Improved Lantern Apparatus,

Also "INVICTA" Photo Lenses, Cameras & Enlarging Apparatus,

BILLINGSGATE STREET, Greenwich, London, S.E.

Telephone 8020. Hours 9 till 6.

Every improvement in our Apparatus suggested by long personal experience, Mr. C. LOCKE and Mr. D. W. NOAKES, two principals of the firm, having personally operated at 5,000 Exhibitions.

Catalogues on Application.

WRAY'S LENSES

Are now fitted with

IRIS DIAPHRAGMS,

When required, at a small additional cost.

A MEDAL has been awarded for these LENSES, at the Dundee and East of Scotland

PHOTOGRAPHIC EXHIBITION,
February, 1883.

W. WRAY, OPTICIAN,
North Hill, Highgate, London, N.
Prices and Illustrated Catalogue for Stamp.

Trade Mark **G.W.W.** Registered.

G. W. WILSON & CO.,
2, ST. SWITHIN STREET,
ABERDEEN,

Makers of the Highest Class of
❧ PHOTOGRAPHIC ❧
LANTERN ❧ SLIDES.

THEIR SERIES INCLUDES MANY VIEWS OF
London, Windsor, and the Thames.
Oxford and Cambridge.
The English Cathedrals.
Derbyshire and the Peak.
Bristol and the West of England.
Yorkshire Cathedral and Watering Places.
Edinburgh, Glasgow, Aberdeen.
The Land of Scott and Burns.
The Trossachs.
The Lochs, Bens, and Glens of Scotland.
Besides Views in almost every District in Great Britain.

CATALOGUES THROUGH ANY DEALER IN LANTERN SLIDES, OR
POST FREE ON RECEIPT OF ADDRESS.

Valentine & Sons' LANTERN SLIDES.

To be had from all Dealers
Throughout the Country, or direct from

152 & 154, Perth Road,
DUNDEE.

CATALOGUES ON APPLICATION.

TO THE TRADE.

J OTTWAY & SON,

MANUFACTURERS OF HIGH CLASS TRI-UNIAL AND
BI-UNIAL LANTERNS.

Superior Objective Lenses, Condensers, Sets, &c. New Mechanical
and Effect Slides.

178, ST. JOHN STREET ROAD, CLERKENWELL
LONDON, E.C.

THE LIME LIGHT.

CONTINUED SUCCESS OF THE NEW

ETHER SATURATOR (Patent).

Advantages. — Extreme portability, pure white light (far beyond
coal gas and oxygen), absolute safety; no coal or other gas required,
only oxygen. Great increase of light over all other forms of illumina-
tion for Optical Lanterns. Send penny stamp for Circular from

WILKINSON & Co.,

Wholesale Appliance Makers and Slide Painters,

15, HOLMESIDE, SUNDERLAND. (Etab. 1859)

Just Published, price 6d., postage ¼d.

Wheeler's Modern

PHOTOGRAPHIC LABELS

386 Gummed Labels, all perforated, new forms.

GEO. WHEELER & Co., 46 King St. West, Manchester.

GENERAL WANTS, SALE, AND EXCHANGE.

MAHOGANY Body Single Lantern, all brass stages,
4-inch condenser, with lamp and safety jet; price
40s.—Camp, Distillery Street, Norwich.

FIRST-CLASS PRINTER and TONER requires
situation; can assist in re-touching, &c. Good
references. — Address, Printer, 6, Clarke's Buildings,
Southport.

OPTICAL LANTERN SLIDES made from Amateurs
or others' Negatives, or from Prints, Drawings, &c.,
by an Operator of several years' experience. Terms mode-
rate. — Henry Macdonald, care of Mr. Galpin, 36, Pembroke
Street, St. Aldate's, Oxford.

PHOTOGRAPHERS (Amateur and Professional), re-
quiring first-class Retouching and Printing, Silver and
Platinotype, should write to Wilfred Emery, 94, Droop
Street, Harrow Road, N.W.

TO LECTURERS.—Situation wanted as Operator, to
work Oxy-hydrogen Lantern. Recommended by Mr.
D. Noakes and Mr. C. W. Locke; 13 years operator to Mr.
B. J. Malden; many other references from people of high
standing. — Address M. H., 28, Melton Street, Euston Road,
London, N.

GELATINES for Tracing Magic Lantern Slides, 3½
size, 4½d. per dozen. — Address FINLAY, 11, Bothwell
Street, Glasgow.

FOR SALE, Set of 36 views of Paris of high class, by
York, £3 15s., or will be exchanged for others. — Paris,
c/o the Publishers.

WANTED, Second-hand, for educational purposes, a
large and powerful Lantern with condensers not
under 4½ inches. Fitted for oil and lime light, with gas bags
and pressure boards. — Address, MISSIONARY, c/o the
Publisher.

WANTED, a Brins Oxygen Bottle, secondhand. State
age, capacity, and price to D. W., 40, St. Paul's
Road, Camden Town, London, N.W.

WANTED, a Lantern Operator for one evening in each
week in S.E. district of London; none need apply
unless well up in the work. — Apply in first instance, stating
salary, to "Oxy-hydrogen," c/o the Publisher.

A FEW new and second-hand Magic Lanterns to be
cleared out cheap; also a number of Miscellaneous
Slides, plain and coloured, from sixpence each. — Alfred
Underhill, Dissolving View Artist, 23A, Clarendon Road,
West Croydon.

THE LIFE OF CHRIST. Twelve Scenes on Six
Photographic Lantern Slides from the magnificent
east window of Rye Church. Specimen slide, 1s. 3d.;
set, 6s. 6d. post free. — W. Stocks, Rye.

NEARLY new Magic Lantern, four-wick Lamp, 4-in.
Condensers, Portrait Lens, in Case with 40 Photo-
graphic Slides. Lot 40s. Bargain. — COLLINS, Seaside,
Eastbourne.

WANTED, a Lantern Slide Colourist. None but good
painters, with general all-round capabilities need
apply. — Address, with full particulars, "Lantern Slides,"
care of the Publishers.

NOTICE.

Amateur and Professional Photographers, having Negatives of Local
Views, can increase their incomes by publishing Christmas Cards. Cards
for mounting the same in great variety, samples, 1s., 2s., 3s. List one
stamp, to Hooper & Co., 5, Hand Court, Holborn, London, W.C.

**To all Users of
SOLOMON'S**

READY SENSITIZED PAPER


Arrangements have now been completed for continuing
the supply of this, the "Finest Brand," in small or large
quantities.

Cash Orders sent the same Day.

PRICES, POST FREE:—		
1 QUIRE		12s.
½ "		6s. 6d.
¼ "		3s. 6d.

None Genuine unless supplied direct from the only Proprietors—

E. ABENHEIM,
341, CAMDEN ROAD, HOLLOWAY, LONDON, N.



THE
MAWSON
Lantern Plate

Is specially manufactured for the production of Transparencies. There is nothing to equal it for this work. The tones can be varied according to Developer used, and for Brilliancy and Clearness in Shadows it is unsurpassed.

Developing Solutions, Varnishes, Cover Glasses, Paper Masks and Binders and all Requisites.

MAWSON & SWAN,
33, Soho Square, London; & Mosley Street, Newcastle-on-Tyne.

TRADE NOTICE.

— RE —

Thomas's "Pall Mall"
LANTERN AND TRANSPARENCY PLATES

WE respectfully invite our Friends and Dealers generally to give early attention to the Stocking of the above, for intimations are reaching us from all parts that this next season's demand will be more than phenomenal.

Our earnest attention has been given to the further improvement of the Emulsion, and we can assert that its exquisite brilliancy and tone-yielding power has been still yet increased. The price we have decided not to advance, in spite of enhanced cost of the fine quality of thin glass on which the Lantern Plates are coated.

R. W. THOMAS & Co., Limited,
10, PALL MALL, LONDON.

Factory—Thornton Heath, Surrey.

Telegraphic Address—"Ruhtra, London."

Digitized by the Magic Lantern Society



The Magic Lantern Society

<http://www.magiclantern.org.uk/>

Post-production coordinated by



www.mediahistoryproject.org

Sponsored by the ACLS Digital Extension Grant, "Globalizing and Enhancing the Media History Digital Library" (2020-2021)